

## **Health & Safety Data for:**

## PREFORMED SURFACE DRESSING / PREFORMED STRESS ABSORBING MEMBRANE

Data Sheet No. 14		Revision:	01/12/16	Replaces: 29/07/16			
Recommended uses:		Ready to use anti-skid surface dressing.  NB: This product is normally used with CP Primer – refer to separate data sheet.					
Kno	wn misuses / abuses:	Not known					
1	Identification of the Substance / Preparation and of the Company / Undertaking						
	Product:	Preformed Surf	ace Dressing /	Preformed Stress Absorbing Membrane			
	Company:	Colas Limited					
	Address:	Wallage Lane,	Rowfant, Craw	ley, West Sussex RH10 4NF			
	Telephone:	01342 711000					
	Emergency Telephone:	01342 718346					
2	Hazard Identification						
	Not classified as hazardous.						
3	Composition / Information	on Ingredients					
		rom bitumen, mineral process oil, thermoplastic rubbers, woven glass fibre ne adhesive binder is protected by release film.					
4	First Aid Measures						
	Inhalation	obtain medical	attention if syn				
	Skin	advice if sympton	oms persist.	ater as soon as possible. Seek medical			
	Eyes			nounts of water holding the eyelids apart. 5 minutes. Seek medical attention.			
	Ingestion	Seek medical a	idvice.				
5	Fire-Fighting Measures						
	Keep adjacent rolls cool by spraying with water. Extinguish fires using water fog, foam, dry powder, Carbon Dioxide (CO <sub>2</sub> ), sand or earth. <b>DO NOT USE WATER JET</b> .						
6	Accidental Release Measures						
	Re-roll material for possible further use or disposal.						
7	Handling and Storage						
	Handling		Where manua	etised products reduces the hazards of il lifting is unavoidable use correct kinetic			
	Storage		ally packed on	pallets and must be stored and conveyed ler cover.			
8	Exposure Controls / Personal Protection Exposure Limit Values						
	There are no relevant Workplace limits given in EH40/2005.						
	Recommended Protective Clothing	Gloves					









Data Sheet No: 14 Revision: 01/12/16 Replaces: 29/07/16

	Physical and Ohamical Properties					
9	-	Physical and Chemical Properties				
	Physical State	Solid				
	Appearance	Black roll with surface aggregate				
	Odour	None				
	Acidity/Alkalinity	N/A				
	Boiling Point/Boiling Range	Decomposes above 250°C				
	Melting Point/Melting Range	Approximately 100°C				
	Flashpoint	>250°C				
	Flammability	Not flammable				
	Autoflammability	>400°C				
	Flammability Limits - upper	N/A				
	- lower	N/A				
	Explosive Properties N/A					
	Oxidising Properties N/A					
	Vapour Pressure at 40°C N/A					
	Density at 15°C	Approximately 1.8 g/ml				
	Solubility - Water Solubility Insoluble					
	- Fat Solubility/Solvent	Binder is soluble in most organic solvents				
	Partition Coefficient, N-Octanol water:	Not determined				
	Viscosity at 15°C	Solid				
10	Stability and Reactivity	Stability and Reactivity				
	Carbon Dioxide (CO <sub>2</sub> ), Carbon Monoxide (CO), Nitrogen Oxides (NO <sub>2</sub> ) and Hydrogen Sulphide (H <sub>2</sub> S).					
11	Toxicological Information					
	Acute Health Hazards and Advice	Not hazardous.				
12	Ecological Information					
	Not classified as hazardous to the environment.					
13	Disposal Considerations					
	Dispose as a controlled waste in accordance with local by-laws and Regulations.					
14	Transport Information					
	Not classified as hazardous for conveyance.					
15	Regulatory Information					
	Not classified as hazardous for supply.					
16	Other Information					
		The references set out below give further information on specific aspects				
	Legislation	CLP Regulations Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations Control of Substances Hazardous to Health Regulations				









Data Sheet No: 14 Revision: 01/12/16 Replaces: 29/07/16

		The Reporting of Injuries, Diseases and Health Regulations Environment Protection Act		
Guidance Notes	EH26	Occupational Skin Disease: Health and Safety Precautions		
	EH40/2005	Workplace Exposure Limits		





